

	Hits	Search Text	DBs
1	0	(chang\$7 or modif\$7 or updat\$7 or adapt\$7) near2 (signal or data) near2 (another) near2 (signal or data) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	((echo near2 cancel\$7) same (((decreas\$7 near2 amplitud\$7) or attenuat\$7) near2 (bas\$3 or due) near2 (second or another or other) near2 (data or signal\$7))) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	60	("4751742"   "4943855"   "4969040"   "5063444"   "5067015"   "5136374"   "5202760").PN. OR ("5481308").URPN.	US-PGPUB; USPAT; USOCR
4	17	("4745458"   "4985767"   "4989087"   "5454043"   "5473384"   "5481308"   "5512956"   "5673207"   "5694491"   "5719966"   "5828444"   "6009200"   "6061100"   "6192079"   "6263089"   "6307560"   "RE36041").PN. OR ("6535620").URPN.	US-PGPUB; USPAT; USOCR
5	0	(detect\$7 or find\$7 or locat\$7) near2 (signal\$7 or data) near2 (bas\$3 or us\$3) near2 (component\$7 or part\$7) near2 "not" near2 (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	((decreas\$7 or reduc\$7) near2 band\$1width\$7)) same ((remov\$7 or subtract\$7) same ((detect\$7) near2 (bas\$3) near2 (left\$1over)) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	0	((decreas\$7 or reduc\$7) near2 band\$1width\$7) same (remov\$7 or subtract\$7) same ((detect\$7) near2 (bas\$3) near2 (left\$1over)) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	(detect\$7 or find\$7 or locat\$7) near2 (signal\$7 or data) near2 (bas\$3 or us\$3) near2 (component\$7 or part\$7 or resid\$7) near2 "not" near2 (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1052	((echo near2 cancel\$7) same ((decreas\$7 near2 amplitud\$7) or attenuat\$7)) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	(375/222,219,224,227,228,316,317,318,377, 379/1.01,3,406.01,406.05, 455/570,569.1,550.1,73).ccls. and (detect\$7 or find\$7 or locat\$7) with (signal\$7 or data) with (bas\$3 or us\$3) with (component\$7 or part\$7 or resid\$7) with ("not" or no) with (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	19581	(detect\$7 or find\$7 or locat\$7) same (signal\$7 or data) same (bas\$3 or us\$3) same (component\$7 or part\$7) same ("not" or no) same (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>12</b>	<b>336</b>	(detect\$7 or find\$7 or locat\$7) with (signal\$7 or data) with (bas\$3 or us\$3) with (component\$7 or part\$7) with ("not" or no) with (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>2</b>	(375/222,219,224,227,228,316,317,318,377, 379/1.01,3,406.01,406.05, 455/570,569.1,550.1,73).cccls. and (detect\$7 or find\$7 or locat\$7) with (signal\$7 or data) with (bas\$3 or us\$3) with (component\$7 or part\$7) with ("not" or no) with (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>10</b>	((modif\$7 or chang\$7 or updat\$7 or adapt\$7) near2 (data or signal\$3) near2 (frequenc\$7 or band\$3)) with (us\$3 near2 (modif\$7 or chang\$7 or updat\$7 or adapt\$7 or remov\$7 or delet\$7) near2 (data or signal\$3) near2 (another or differ\$7) near2 (frequenc\$7 or band\$3)) and @ad<"20031215"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>16</b>	((echo near2 cancel\$7) same (((decreas\$7 near2 amplitud\$7) or attenuat\$7) with (bas\$3 or due) with (second\$7 or S3 or third\$7 or S4 or another or other) with (data or signal\$7))) and @ad<"20031215"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	Hits	Search Text	DBs
16	0	((echo near2 cancel\$7) same (((decreas\$7 near2 amplitud\$7) or attenuat\$7) near2 (bas\$3 or due) near2 (second\$7 or S3 or third\$7 or S4 or another or other) near2 (data or signal\$7))) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	7	S19 not S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	23	((echo near2 (cancel\$7 ore remov\$7 or suppress\$7 or delet\$7 or eliminat\$7)) same (((decreas\$7 near2 amplitud\$7) or attenuat\$7) with (bas\$3 or due) with (second\$7 or S17 or third\$7 or S18 or another or other) with (data or signal\$7))) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	17	("4745458"   "4985767"   "4989087"   "5454043"   "5473384"   "5481308"   "5512956"   "5673207"   "5694491"   "5719966"   "5828444"   "6009200"   "6061100"   "6192079"   "6263089"   "6307560"   "RE36041").PN. OR ("6535620").URPN.	US-PGPUB; USPAT; USOCR
20	60	("4751742"   "4943855"   "4969040"   "5063444"   "5067015"   "5136374"   "5202760").PN. OR ("5481308").URPN.	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
21	16	((echo near2 cancel\$7) same (((decreas\$7 near2 amplitud\$7) or attenuat\$7) with (bas\$3 or due) with (second\$7 or S17 or third\$7 or S18 or another or other) with (data or signal\$7))) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	2	(375/222,219,224,227,228,316,31 7,318,377, 379/1.01,3,406.01,406.05, 455/570,569.1,550.1,73).ccls. and (detect\$7 or find\$7 or locat\$7) with (signal\$7 or data) with (bas\$3 or us\$3) with (component\$7 or part\$7) with ("not" or no) with (first\$7 or second\$7 or third\$7 or other\$7 or another\$7) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	"5,317,596".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	207	echo near2 cancel\$7 near2 attenuat\$7 and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	2	"5,272,695".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	217	(echo near2 cancel\$7) with (frequency near2 bands) and @ad<"20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>27</b>	<b>0</b>	<b>attenuat\$7 near2 after near2 echo near2 cancel\$7 and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>28</b>	<b>1287</b>	<b>(echo near2 cancel\$7) with (frequencies) and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>29</b>	<b>18</b>	<b>S24 and S25 and S26</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>30</b>	<b>120</b>	<b>(echo near2 cancel\$7) with (multipl\$7 near2 frequenc\$7) and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>0</b>	<b>(echo near2 cancel\$7) with (multipl\$7 near2 frequenc\$7 near2 band\$3) and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>32</b>	<b>3</b>	<b>S32 and fram\$7</b>	<b>USPAT; JPO</b>
<b>33</b>	<b>0</b>	<b>S32 and packet\$7</b>	<b>USPAT; JPO</b>
<b>34</b>	<b>10</b>	<b>(US-6535620-\$ or US-5774561-\$ or US-6975674-\$ or US-5233633-\$ or US-5719966-\$ or US-5481308-\$ or US-6901143-\$ or US-3560669-\$ or US-5884194-\$).did. or (JP- 07287066-\$).did.</b>	<b>USPAT; JPO</b>
<b>35</b>	<b>1</b>	<b>non\$1linear\$7 same echo\$1cancel\$7 same packet\$7 and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>36</b>	<b>27</b>	<b>non\$1linear\$7 and echo\$1cancel\$7 and packet\$7 and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>37</b>	<b>221278</b>	<b>packet\$7 and @ad&lt;"20031215"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>